


# Schrumpfkraftmessung - PVC-Folie 0,25mm dick



Time	mV/V	N	T, °C
00:04:45.94	-0,1606	2,8	140
00:04:44.91	-0,1607	2,8	140
00:04:43.93	-0,1631	2,85	140
00:04:42.90	-0,1645	2,88	140
00:04:41.90	-0,1655	2,9	140
00:04:40.89	-0,1657	2,9	140
00:04:39.84	-0,1666	2,92	140
00:04:38.85	-0,1677	2,94	140
00:04:37.83	-0,1692	2,97	140
00:04:36.83	-0,1701	2,99	140
00:04:35.82	-0,1698	2,98	140
00:04:34.79	-0,1701	2,99	140
00:04:33.78	-0,1714	3,01	140
00:04:32.76	-0,1728	3,04	140
00:04:31.73	-0,1716	3,02	140
00:04:30.73	-0,1742	3,07	140
00:04:29.72	-0,1742	3,07	140

00:04:28.72	-0,1752	3,09	140
00:04:27.69	-0,1776	3,14	140
00:04:26.68	-0,1756	3,1	140
00:04:25.66	-0,1741	3,07	140
00:04:24.65	-0,1771	3,13	140
00:04:23.65	-0,1823	3,23	140
00:04:22.64	-0,1832	3,25	140
00:04:21.59	-0,1837	3,26	140
00:04:20.59	-0,1844	3,27	140
00:04:19.58	-0,1844	3,27	140
00:04:18.55	-0,1835	3,25	140
00:04:17.55	-0,1855	3,29	140
00:04:16.54	-0,1855	3,29	140
00:04:15.54	-0,181	3,2	140
00:04:14.53	-0,1853	3,29	140
00:04:13.48	-0,1851	3,28	140
00:04:12.48	-0,1837	3,26	140
00:04:11.47	-0,1827	3,24	140
00:04:10.47	-0,1814	3,21	140
00:04:09.44	-0,1819	3,22	140
00:04:08.43	-0,1816	3,22	140
00:04:07.43	-0,1826	3,24	140
00:04:06.41	-0,1834	3,25	140
00:04:05.37	-0,1833	3,25	140
00:04:04.37	-0,1818	3,22	140
00:04:03.34	-0,1804	3,19	140
00:04:02.36	-0,1793	3,17	140
00:04:01.34	-0,1793	3,17	140
00:04:00.30	-0,178	3,14	140
00:03:59.30	-0,1746	3,08	140
00:03:58.29	-0,175	3,08	140
00:03:57.29	-0,1742	3,07	140
00:03:56.26	-0,1728	3,04	140
00:03:55.23	-0,1704	2,99	140
00:03:54.25	-0,1689	2,96	140
00:03:53.23	-0,1677	2,94	140
00:03:52.22	-0,1639	2,86	140
00:03:51.19	-0,1619	2,82	140
00:03:50.17	-0,161	2,81	140
00:03:49.18	-0,1575	2,74	140
00:03:48.15	-0,1538	2,66	140
00:03:47.13	-0,1516	2,62	140
00:03:46.12	-0,149	2,57	140
00:03:45.10	-0,1457	2,5	140
00:03:44.10	-0,1413	2,41	140
00:03:43.08	-0,1364	2,32	140
00:03:42.05	-0,1298	2,19	140

00:03:41.05	-0,1221	2,03	140
00:03:40.05	-0,113	1,85	140
00:03:39.03	-0,1032	1,66	140
00:03:38.01	-0,094	1,47	140
00:03:36.99	-0,0858	1,31	140
00:03:35.99	-0,0766	1,13	140
00:03:34.96	-0,0656	0,91	140
00:03:33.93	-0,0557	0,71	140
00:03:32.95	-0,0468	0,54	140
00:03:31.92	-0,0393	0,39	140
00:03:30.92	-0,0351	0,3	140
00:03:29.89	-0,0326	0,25	140
00:03:28.86	-0,0308	0,22	140
00:03:27.88	-0,0296	0,19	140
00:03:26.87	-0,0274	0,15	140
00:03:25.85	-0,0267	0,14	140
00:03:24.82	-0,0261	0,12	140
00:03:23.79	-0,0249	0,1	140
00:03:22.81	-0,0249	0,1	140
00:03:21.78	-0,0251	0,11	140
00:03:20.75	-0,0251	0,11	140
00:03:19.75	-0,0251	0,11	140
00:03:18.74	-0,025	0,1	140
00:03:17.73	-0,0251	0,11	140
00:03:16.71	-0,0251	0,1	140
00:03:15.70	-0,0251	0,11	140
00:03:14.70	-0,0251	0,1	140
00:03:13.67	-0,0251	0,1	140
00:03:11.64	-0,0251	0,1	140
00:03:10.61	-0,0251	0,1	140
00:03:09.61	-0,0251	0,11	140
00:03:08.60	-0,0253	0,11	140
00:03:07.57	-0,0254	0,11	140
00:03:06.57	-0,0254	0,11	140
00:03:05.57	-0,0254	0,11	140
00:03:04.56	-0,0254	0,11	140
00:03:03.53	-0,0254	0,11	140
00:03:02.52	-0,0254	0,11	140
00:03:01.52	-0,0254	0,11	140
00:03:00.50	-0,0254	0,11	140
00:02:59.49	-0,0256	0,11	140
00:02:58.47	-0,0257	0,12	140
00:02:57.43	-0,0257	0,12	140
00:02:56.43	-0,026	0,12	140
00:02:55.42	-0,0261	0,12	140
00:02:54.40	-0,0261	0,13	140
00:02:53.40	-0,0261	0,13	140

00:02:52.36	-0,0261	0,13	140
00:02:51.36	-0,0261	0,13	140
00:02:50.35	-0,0261	0,13	140
00:02:49.33	-0,0259	0,12	140
00:02:48.32	-0,0259	0,12	140
00:02:47.31	-0,026	0,12	140
00:02:46.31	-0,026	0,12	140
00:02:45.28	-0,0261	0,12	140
00:02:44.25	-0,026	0,12	140
00:02:43.25	-0,0258	0,12	140
00:02:42.24	-0,0257	0,12	140
00:02:40.22	-0,026	0,12	140
00:02:39.18	-0,0258	0,12	140
00:02:38.18	-0,0255	0,11	140
00:02:37.17	-0,0253	0,11	140
00:02:36.14	-0,0251	0,11	140
00:02:35.14	-0,0254	0,11	140
00:02:34.12	-0,0254	0,11	140
00:02:33.11	-0,0256	0,12	140
00:02:32.10	-0,0257	0,12	140
00:02:31.07	-0,0258	0,12	140
00:02:30.07	-0,0255	0,11	140
00:02:29.05	-0,0255	0,11	140
00:02:28.05	-0,0256	0,11	140
00:02:27.04	-0,0254	0,11	140
00:02:26.00	-0,0254	0,11	140
00:02:25.00	-0,0254	0,11	140
00:02:23.98	-0,0254	0,11	140
00:02:22.95	-0,0258	0,12	140
00:02:21.96	-0,0257	0,12	140
00:02:20.94	-0,0257	0,12	140
00:02:19.93	-0,0256	0,11	140
00:02:18.93	-0,0254	0,11	140
00:02:17.88	-0,0251	0,11	140
00:02:16.89	-0,0253	0,11	140
00:02:15.87	-0,0253	0,11	140
00:02:14.87	-0,0254	0,11	140
00:02:13.86	-0,0253	0,11	140
00:02:12.81	-0,0253	0,11	140
00:02:11.82	-0,0252	0,11	140
00:02:10.82	-0,0253	0,11	140
00:02:09.77	-0,0252	0,11	140
00:02:08.77	-0,025	0,1	140
00:02:07.76	-0,0247	0,1	140
00:02:06.75	-0,0248	0,1	140
00:02:05.75	-0,0251	0,1	140
00:02:04.70	-0,0251	0,1	140

00:02:03.70	-0,025	0,1	140
00:02:02.69	-0,0251	0,11	140
00:02:01.69	-0,0251	0,11	140
00:02:00.66	-0,0251	0,1	140
00:01:59.65	-0,0249	0,1	140
00:01:58.65	-0,025	0,1	140
00:01:57.62	-0,025	0,1	140
00:01:56.59	-0,0251	0,1	140
00:01:55.59	-0,0251	0,1	140
00:01:54.58	-0,0249	0,1	140
00:01:53.58	-0,0249	0,1	140
00:01:52.53	-0,0252	0,11	140
00:01:51.52	-0,0249	0,1	140
00:01:50.52	-0,0248	0,1	140
00:01:49.52	-0,0249	0,1	140
00:01:48.51	-0,0252	0,11	140
00:01:47.48	-0,0247	0,1	140
00:01:46.45	-0,0248	0,1	140
00:01:45.45	-0,0247	0,1	140
00:01:44.45	-0,0244	0,09	140
00:01:43.44	-0,0247	0,1	140
00:01:42.41	-0,0247	0,1	140
00:01:41.40	-0,0249	0,1	140
00:01:40.40	-0,0247	0,1	140
00:01:39.37	-0,0247	0,1	140
00:01:38.34	-0,0246	0,1	140
00:01:37.34	-0,0247	0,1	140
00:01:36.34	-0,0246	0,1	140
00:01:35.33	-0,0249	0,1	140
00:01:34.30	-0,0251	0,11	140
00:01:33.27	-0,0251	0,1	140
00:01:32.27	-0,0251	0,1	140
00:01:31.26	-0,0249	0,1	140
00:01:30.26	-0,0249	0,1	140
00:01:29.23	-0,0252	0,11	140
00:01:28.21	-0,0251	0,1	140
00:01:27.20	-0,0251	0,1	140
00:01:26.19	-0,0254	0,11	140
00:01:25.16	-0,0256	0,11	140
00:01:24.16	-0,0258	0,12	140
00:01:23.14	-0,0256	0,12	140
00:01:22.13	-0,0256	0,12	140
00:01:21.12	-0,0257	0,12	140
00:01:20.09	-0,0256	0,11	140
00:01:19.10	-0,0254	0,11	140
00:01:18.07	-0,0253	0,11	140
00:01:17.07	-0,025	0,1	140

00:01:16.05	-0,0247	0,1	140
00:01:15.02	-0,0248	0,1	140
00:01:14.03	-0,0248	0,1	140
00:01:13.00	-0,0247	0,1	140
00:01:11.97	-0,0245	0,09	140
00:01:10.99	-0,0245	0,09	140
00:01:09.98	-0,0248	0,1	140
00:01:08.95	-0,0247	0,1	140
00:01:07.93	-0,0247	0,1	139
00:01:06.90	-0,0244	0,09	139
00:01:05.92	-0,0247	0,1	139
00:01:04.89	-0,0245	0,09	139
00:01:03.89	-0,0247	0,1	139
00:01:02.86	-0,0246	0,1	139
00:01:01.83	-0,0244	0,09	139
00:01:00.84	-0,0245	0,09	139
00:00:59.82	-0,0245	0,09	139
00:00:58.79	-0,0244	0,09	139
00:00:57.81	-0,0245	0,09	139
00:00:56.78	-0,0245	0,09	139
00:00:55.77	-0,0244	0,09	139
00:00:54.75	-0,0246	0,1	139
00:00:53.72	-0,0247	0,1	139
00:00:52.72	-0,0245	0,09	139
00:00:51.71	-0,0246	0,1	139
00:00:50.71	-0,0245	0,09	139
00:00:49.68	-0,0251	0,1	139
00:00:48.68	-0,0252	0,11	139
00:00:47.65	-0,025	0,1	139
00:00:46.64	-0,0251	0,11	139
00:00:45.64	-0,0253	0,11	139
00:00:44.63	-0,0253	0,11	139
00:00:43.60	-0,0252	0,11	139
00:00:42.58	-0,0249	0,1	139
00:00:41.57	-0,0247	0,1	139
00:00:39.54	-0,0246	0,1	139
00:00:38.53	-0,024	0,08	139
00:00:37.53	-0,0234	0,07	139
00:00:36.51	-0,0238	0,08	139
00:00:35.47	-0,0238	0,08	139
00:00:34.47	-0,0239	0,08	140
00:00:33.44	-0,0236	0,08	140
00:00:32.46	-0,0233	0,07	140
00:00:31.43	-0,0229	0,06	140
00:00:30.42	-0,0223	0,05	140
00:00:29.40	-0,0199	0	140
00:00:28.39	-0,018	-0,04	140

00:00:27.36	-0,0172	-0,05	140
00:00:26.36	-0,0174	-0,05	140
00:00:25.35	-0,0169	-0,06	140
00:00:24.35	-0,0175	-0,05	140
00:00:23.32	-0,0171	-0,05	140
00:00:22.29	-0,0166	-0,06	140
00:00:21.29	-0,0166	-0,06	140
00:00:20.28	-0,0169	-0,06	140
00:00:19.28	-0,0177	-0,04	140
00:00:18.25	-0,0174	-0,05	140
00:00:17.23	-0,0105	-0,18	140
00:00:16.23	-0,0101	-0,19	140
00:00:15.22	-0,0106	-0,18	140
00:00:14.21	-0,011	-0,17	140
00:00:13.18	-0,0117	-0,16	140
00:00:12.16	-0,0122	-0,15	140
00:00:11.16	-0,0142	-0,11	140
00:00:10.15	-0,0161	-0,07	140
00:00:09.11	-0,0179	-0,04	140
00:00:08.11	-0,0174	-0,05	140
00:00:07.09	-0,0203	0,01	140
00:00:06.09	-0,0213	0,03	140
00:00:05.07	-0,0213	0,03	140
00:00:04.05	-0,021	0,02	140
00:00:03.04	-0,0207	0,02	140
00:00:02.02	-0,0203	0,01	140
00:00:00.99	-0,0203	0,01	140
00:00:00	-0,0199	0	140